08/788,613

30Apr99

APS Text Search of US Patents

=> set highlight off

SET COMMAND COMPLETED

=> s pd>19980928

L1   94966 PD>19980928
           (PD>19980928)

=> s l1 and ((pager# or paged or paging or page#) (p) (URL## or uniform resource locator#))

        3460 PAGER#
        1570 PAGED
        5978 PAGING
      194173 PAGE#
         484 URL##
      408471 UNIFORM
       14511 RESOURCE
       11116 LOCATOR#
         196 UNIFORM RESOURCE LOCATOR#
              (UNIFORM(W)RESOURCE(W)LOCATOR#)
         239 (PAGER# OR PAGED OR PAGING OR PAGE#) (P) (URL## OR UNIFORM
RES
              OURCE LOCATOR#)
L2   130 L1 AND ((PAGER# OR PAGED OR PAGING OR PAGE#) (P) (URL## OR
UNI
              FORM RESOURCE LOCATOR#))

=> set highlight on

SET COMMAND COMPLETED

=> s l2

        3460 PAGER#
        1570 PAGED
        5978 PAGING
      194173 PAGE#
         484 URL##
      408471 UNIFORM
       14511 RESOURCE
       11116 LOCATOR#
         196 UNIFORM RESOURCE LOCATOR#
              (UNIFORM(W)RESOURCE(W)LOCATOR#)
         239 (PAGER# OR PAGED OR PAGING OR PAGE#) (P) (URL## OR UNIFORM
RES
              OURCE LOCATOR#)
L3   130 L1 AND ((PAGER# OR PAGED OR PAGING OR PAGE#) (P) (URL## OR
UNI

FORM RESOURCE LOCATOR#))

=> s l3 and ((pager or paging) (5a) network#)

      2768 PAGER
      5978 PAGING
   160563 NETWORK#
     569 (PAGER OR PAGING) (5A) NETWORK#
L4   0 L3 AND ((PAGER OR PAGING) (5A) NETWORK#)

=> s l1 and ((pager or paging) (5a) network#)

      2768 PAGER
      5978 PAGING
   160563 NETWORK#
     569 (PAGER OR PAGING) (5A) NETWORK#
L5   92 L1 AND ((PAGER OR PAGING) (5A) NETWORK#)

=> s l5 and (((internet or IP or http) (1w) (address###)) or (URL## or uniform resource locator#))

     3334 INTERNET
   12475 IP
    516 HTTP
 200112 ADDRESS###
    851 (INTERNET OR IP OR HTTP) (1W) (ADDRESS###)
    484 URL##
 408471 UNIFORM
  14511 RESOURCE
  11116 LOCATOR#
    196 UNIFORM RESOURCE LOCATOR#
       (UNIFORM(W)RESOURCE(W)LOCATOR#)
L6   5 L5 AND (((INTERNET OR IP OR HTTP) (1W) (ADDRESS###)) OR
(UR
       L## OR UNIFORM RESOURCE LOCATOR#))

=> s l1 and (notif? or alert? or messag? or alarm?) (3a) (immediate? or instant?)

   23756 NOTIF?
   26175 ALERT?
   61422 MESSAG?
   53635 ALARM?
  533064 IMMEDIATE?
  279896 INSTANT?
    4334 (NOTIF? OR ALERT? OR MESSAG? OR ALARM?) (3A) (IMMEDIATE? OR
IN
       STANT?)
L7   281 L1 AND (NOTIF? OR ALERT? OR MESSAG? OR ALARM?) (3A) (IMMEDI
ATE
      ? OR INSTANT?)

=> s l1 and RBD#

    188 RBD#
L8   12 L1 AND RBD#

```
=> s 5790958/uref

L9        0 5790958/UREF

=> s 5809415/uref

L10       0 5809415/UREF

=> s 5442652/uref

L11       1 5442652/UREF

=> s 5581576/uref

L12       2 5581576/UREF
```